

Item Code: 6WGCWTT0.5M

Wire anchor strop

Overview

Manufactured from 6mm galvanised steel wire rope; fitted with durable eye thimbles at each end, and transparent protective tubing to improve product lifespan. Suitable for use as a temporary anchor device in work at height activities in basket or end-to-end installation. Designed and manufactured in the UK.

Key Features

Effective length: 0.5m

Thimbles maintain the eye shape and allows easy attachment of other PPE

Protective PVC sleeve



Technical Features

Standard BS EN795:2012 Type B

Compliance CE

UKCA

Max user Single user only







Item Code: 6WGCWTT1M

Wire anchor strop

Overview

Manufactured from 6mm galvanised steel wire rope; fitted with durable eye thimbles at each end, and transparent protective tubing to improve product lifespan. Suitable for use as a temporary anchor device in work at height activities in basket or end-to-end installation. Designed and manufactured in the UK.

Key Features

Effective length: 1m

Thimbles maintain the eye shape and allows easy attachment of other PPE

Protective PVC sleeve



Technical Features

Standard BS EN795:2012 Type B

Compliance CE

UKCA

Max user Single user only







Item Code: 6WGCWTT1.5M

Wire anchor strop

Overview

Manufactured from 6mm galvanised steel wire rope; fitted with durable eye thimbles at each end, and transparent protective tubing to improve product lifespan. Suitable for use as a temporary anchor device in work at height activities in basket or end-to-end installation. Designed and manufactured in the UK.

Key Features

Effective length: 1.5m

Thimbles maintain the eye shape and allows easy attachment of other PPE

Protective PVC sleeve



Technical Features

Standard BS EN795:2012 Type B

Compliance CE

UKCA

Max user Single user only







Item Code: 6WGCWTT2M

Wire anchor strop

Overview

Manufactured from 6mm galvanised steel wire rope; fitted with durable eye thimbles at each end, and transparent protective tubing to improve product lifespan. Suitable for use as a temporary anchor device in work at height activities in basket or end-to-end installation. Designed and manufactured in the UK.

Key Features

Effective length: 2m

Thimbles maintain the eye shape and allows easy attachment of other PPE

Protective PVC sleeve



Technical Features

Standard BS EN795:2012 Type B

Compliance CE

UKCA

Max user Single user only







Item Code: 6WGCWTT3M

Wire anchor strop

Overview

Manufactured from 6mm galvanised steel wire rope; fitted with durable eye thimbles at each end, and transparent protective tubing to improve product lifespan. Suitable for use as a temporary anchor device in work at height activities in basket or end-to-end installation. Designed and manufactured in the UK.

Key Features

Effective length: 3m

Thimbles maintain the eye shape and allows easy attachment of other PPE

Protective PVC sleeve



Technical Features

Standard BS EN795:2012 Type B

Compliance CE

UKCA

Max user Single user only







Item Code: 6WGCWTT4M

Wire anchor strop

Overview

Manufactured from 6mm galvanised steel wire rope; fitted with durable eye thimbles at each end, and transparent protective tubing to improve product lifespan. Suitable for use as a temporary anchor device in work at height activities in basket or end-to-end installation. Designed and manufactured in the UK.

Key Features

Effective length: 4m

Thimbles maintain the eye shape and allows easy attachment of other PPE

Protective PVC sleeve



Technical Features

Standard BS EN795:2012 Type B

Compliance CE

UKCA

Max user Single user only







Item Code: 6WGCWTT5M

Wire anchor strop

Overview

Manufactured from 6mm galvanised steel wire rope; fitted with durable eye thimbles at each end, and transparent protective tubing to improve product lifespan. Suitable for use as a temporary anchor device in work at height activities in basket or end-to-end installation. Designed and manufactured in the UK.

Key Features

Effective length: 5m

Thimbles maintain the eye shape and allows easy attachment of other PPE

Protective PVC sleeve



Technical Features

Standard BS EN795:2012 Type B

Compliance CE

UKCA

Max user Single user only







Item Code: 6WGCWTT6M

Wire anchor strop

Overview

Manufactured from 6mm galvanised steel wire rope; fitted with durable eye thimbles at each end, and transparent protective tubing to improve product lifespan. Suitable for use as a temporary anchor device in work at height activities in basket or end-to-end installation. Designed and manufactured in the UK.

Key Features

Effective length: 6m

Thimbles maintain the eye shape and allows easy attachment of other PPE

Protective PVC sleeve



Technical Features

Standard BS EN795:2012 Type B

Compliance CE

UKCA

Max user Single user only



